



110 mm x 240 mm x 50 mm NSK 6322ZZ deep groove ball bearings

Bearing No. 6322ZZ

6322ZZ Bearing 2D drawings and 3D CAD models

Size	110x240x50 mm
Bore Diameter	110 mm
Outer Diameter	240 mm
Width	50 mm
d	110 mm
D	240 mm
B	50 mm
C	50 mm
r min.	3 mm
da min.	123 mm
da max	147 mm
Da max.	227 mm
ra max.	2,5 mm
Weight	9,51 Kg
Basic dynamic load rating (C)	205 kN
Basic static load rating (C0)	179 kN
(Grease) Lubrication Speed	2 400 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	9.53
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0



BEARING-Bearing LTD.

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	110MM Bore; 240MM Outside Diameter; 50MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6322ZZ
Weight / LBS	21
Bore	4.331 Inch 110 Millimeter
Outer Race Width	1.969 Inch 50 Millimeter
Outside Diameter	9.449 Inch 240 Millimeter
SRI	21.36
hidYobi	6322ZZ
LangID	1
D_	240
SREX	0.08
B_	50
da min	123
hidTable	ecat_NSRDGB



BEARING-Bearing LTD.

SRE	21.36
mass	9.51
GRS rpm	2400
ra	2.5
SRIX	0.08
D_a	227
SRIN	-0.08
C0	179
fo	13.2
SREN	-0.08
DE_	218.275
Prod_Type3	DGBB_SR_ZZ
DA_	41.275
bomp	0
Z_	8
yobi	6322ZZ
C_conv	205000
ALPHA_	0
SDM_	177
r	3
KBRG	6141
SBRG	3
DI_	135.725